



State of New Jersey  
Department of Environmental Protection  
Certifies That


*American Analytical Laboratories, LLC.*

Laboratory Certification ID # NY050

*having duly met the requirements of the*  
Regulations Governing The Certification Of  
Laboratories And Environmental Measurements N.J.A.C. 7:18 et. seq.

*and*  
*having been found compliant with the standards approved by the*  
The NELAC Institute

*is hereby approved as a*  
Nationally Accredited Environmental Laboratory  
*to perform the analyses as indicated on the Annual Certified Parameter List*  
*which must accompany this certificate to be valid*



NJDEP is a NELAP Recognized Accrediting Authority

Expiration Date June 30, 2010

*Joseph F. Aiello*

Joseph F. Aiello, Chief  
Office of Quality Assurance

This certificate is to be conspicuously displayed at the laboratory with the annual certified parameter list in a location on the premises visible to the public. Consumers are urged to verify the laboratory's current accreditation status with the State of NJ, NELAP.

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SDW02 -- Inorganic Parameters Including Na + Ca  
Eligible to Report

Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SDW02.02000	DW	Automated Cadmium Reduction	[OTHER Lachat 10-107-04-1-C]	Nitrate
Certified	Yes	NY	SDW02.06000	DW	Automated Cadmium Reduction	[OTHER Lachat Method #10-107-04-1-A] [SM 4500-NO3 F]	Nitrite
Certified	Yes	NY	SDW02.20000	DW	ICP	[EPA 200.7]	Sodium
Certified	Yes	NY	SDW02.24000	DW	Gravimetric Al 180	[EPA 160.1] [SM 2540 C]	Total dissolved solids (TDS)
Certified	Yes	NY	SDW02.27000	DW	ICP	[EPA 200.7]	Calcium
Certified	Yes	NY	SDW02.30500	DW	Argentometric	[SM 4500-Cl B]	Chloride

Category: SDW04 -- Inorganic Parameters, Metals

Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SDW04.16000	DW	ICP	[EPA 200.7]	Barium
Certified	Yes	NY	SDW04.24000	DW	ICP	[EPA 200.7]	Cadmium
Certified	Yes	NY	SDW04.28000	DW	ICP	[EPA 200.7]	Chromium
Certified	Yes	NY	SDW04.33000	DW	ICP	[EPA 200.7]	Copper
Certified	Yes	NY	SDW04.37000	DW	ICP	[EPA 200.7]	Iron
Certified	Yes	NY	SDW04.41100	DW	ICP	[EPA 200.7]	Magnesium
Certified	Yes	NY	SDW04.44000	DW	ICP	[EPA 200.7]	Manganese
Certified	Yes	NY	SDW04.46000	DW	Manual Cold Vapor	[EPA 245.1]	Mercury
Certified	Yes	NY	SDW04.62000	DW	ICP	[EPA 200.7]	Silver
Certified	Yes	NY	SDW04.67000	DW	ICP	[EPA 200.7]	Zinc

Category: SDW06 -- Organic Parameters, Chromatography/MS

Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SDW06.01010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromoform
Certified	Yes	NY	SDW06.01020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloroform
Certified	Yes	NY	SDW06.01030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromochloromethane
Certified	Yes	NY	SDW06.01040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromodichloromethane

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SDW06 -- Organic Parameters, Chromatography/MS

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	SDW06.02010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Benzene
Certified	Yes	NY	SDW06.02020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Carbon tetrachloride
Certified	Yes	NY	SDW06.02030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorobenzene
Certified	Yes	NY	SDW06.02040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,2-)
Applied	No	NY	SDW06.02050	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,3-)
Certified	Yes	NY	SDW06.02060	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorobenzene (1,4-)
Certified	Yes	NY	SDW06.02070	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethane (1,1-)
Certified	Yes	NY	SDW06.02080	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethane (1,2-)
Certified	Yes	NY	SDW06.02090	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (cis-1,2-)
Certified	Yes	NY	SDW06.02100	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (trans-1,2-)
Applied	No	NY	SDW06.02110	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methylene chloride (Dichloromethane)
Certified	Yes	NY	SDW06.02120	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (1,2-)
Certified	Yes	NY	SDW06.02130	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Ethylbenzene
Certified	Yes	NY	SDW06.02140	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Methyl tert-butyl ether
Certified	Yes	NY	SDW06.02160	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Styrene
Certified	Yes	NY	SDW06.02170	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethane (1,1,2,2-)
Certified	Yes	NY	SDW06.02180	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethene
Certified	Yes	NY	SDW06.02190	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethane (1,1,1-)
Certified	Yes	NY	SDW06.02200	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethene
Certified	Yes	NY	SDW06.02210	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Toluene
Applied	No	NY	SDW06.02220	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorobenzene (1,2,4-)
Certified	Yes	NY	SDW06.02230	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloroethene (1,1-)
Certified	Yes	NY	SDW06.02240	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloroethane (1,1,2-)
Certified	Yes	NY	SDW06.02250	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Vinyl chloride
Certified	Yes	NY	SDW06.02260	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Xylenes (total)
Certified	Yes	NY	SDW06.03010	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromobenzene
Certified	Yes	NY	SDW06.03020	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromochloromethane
Certified	Yes	NY	SDW06.03030	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Bromomethane
Applied	No	NY	SDW06.03040	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Butyl benzene (n-)
Certified	Yes	NY	SDW06.03050	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Sec-butylbenzene
Applied	No	NY	SDW06.03060	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tert-butylbenzene
Certified	Yes	NY	SDW06.03070	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloroethane

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SDW06 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SDW06.03080	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chloromethane	
Certified	Yes	NY	SDW06.03090	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorotoluene (2-)	
Certified	Yes	NY	SDW06.03100	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Chlorotoluene (4-)	
Certified	Yes	NY	SDW06.03130	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dibromomethane	
Applied	No	NY	SDW06.03140	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichlorodifluoromethane	
Certified	Yes	NY	SDW06.03150	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (1,3-)	
Certified	Yes	NY	SDW06.03160	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (2,2-)	
Certified	Yes	NY	SDW06.03170	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (1,1-)	
Certified	Yes	NY	SDW06.03180	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (cis-1,3-)	
Certified	Yes	NY	SDW06.03190	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Dichloropropane (trans-1,3-)	
Certified	Yes	NY	SDW06.03200	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Hexachlorobutadiene (1,3-)	
Certified	Yes	NY	SDW06.03210	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Isopropylbenzene	
Applied	No	NY	SDW06.03220	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Isopropyltoluene (4-)	
Certified	Yes	NY	SDW06.03230	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Propylbenzene (n-)	
Certified	Yes	NY	SDW06.03240	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Tetrachloroethane (1,1,1,2-)	
Applied	No	NY	SDW06.03250	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorobenzene (1,2,3-)	
Certified	Yes	NY	SDW06.03260	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichlorofluoromethane	
Certified	Yes	NY	SDW06.03270	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trichloropropane (1,2,3-)	
Certified	Yes	NY	SDW06.03280	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trimethylbenzene (1,2,4-)	
Certified	Yes	NY	SDW06.03300	DW	GC/MS, P & T or Direct Injection, Capillary	[EPA 524.2]	Trimethylbenzene (1,3,5-)	

Category: SHW04 -- Inorganic Parameters

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW04.01000	NPW	Acid Digestion/Surface and Groundwater, ICP, FLAA	[SW-846 3005A, Rev. 1, 7/92]	Metals, Total Rec and Dissolved	
Certified	Yes	NY	SHW04.01500	NPW	Acid Digestion/Aqueous Samples, ICP, FLAA	[SW-846 3010A]	Metals, Total	
Certified	Yes	NY	SHW04.33000	NPW	AA, Manual Cold Vapor	[SW-846 7470A]	Mercury - liquid waste	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
 National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
 NLC090002  
 56 TOLEDO ST  
 FARMINGDALE, NY 11735

Category: SHW05 -- Organic Parameters, Prep./ Screening

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW05.01000	NPW	Separatory Funnel Extraction	[SW-846 3510C, Rev. 3, 12/96]	Semivolatle organics	

Category: SHW06 -- Organic Parameters, Chromatography

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW06.12070	NPW	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Chlordane (alpha)	
Certified	Yes	NY	SHW06.12080	NPW	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A]	Chlordane (gamma)	

Category: SHW07 -- Organic Parameters, Chromatography/MS

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW07.04259	NPW	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Ethanol	
Certified	Yes	NY	SHW07.04975	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Tetrachlorobenzene (1,2,4,5-)	
Certified	Yes	NY	SHW07.05010	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosodiphenylamine	
Certified	Yes	NY	SHW07.05030	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Carbazole	
Certified	Yes	NY	SHW07.05060	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Nitroaniline (2-)	
Certified	Yes	NY	SHW07.05062	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Nitroaniline (3-)	
Certified	Yes	NY	SHW07.05063	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Nitroaniline (4-)	
Certified	Yes	NY	SHW07.05400	NPW	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Methylisophthalate (2-)	

Category: WPP02 -- Inorg. Parameters, Nutrients and Demands

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	WPP02.01500	NPW	Electrometric or Color Titration	[SM 2320 B]	Alkalinity as CaCO3	
Certified	Yes	NY	WPP02.04000	NPW	Automated Phenate	[USER DEFINED LACHAT 10-107-06-1-B] [EPA 350.1]	Ammonia	
Certified	Yes	NY	WPP02.06000	NPW	ICP	[EPA 200.7]	Boron	
Certified	Yes	NY	WPP02.07000	NPW	Titrimetric	[SM p.S44 (15th ed)] [ASTM D1246 (C)]	Bromide	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: WPP02 - Inorg. Parameters, Nutrients and Demands

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	WPP02.08000	NPW	Digestion, ICP	[EPA 200.7]	Calcium	
Certified	Yes	NY	WPP02.10500	NPW	Spectrophotometric Manual/Auto	[OTHER Hach 8000]	Chemical oxygen demand	
Certified	Yes	NY	WPP02.11000	NPW	Titrimetric, Silver Nitrate	[SM 4500-Cl B]	Chloride	
Certified	Yes	NY	WPP02.13500	NPW	Colorimetric (Platinum-Cobalt)	[SM 2120 B]	Color	
Certified	Yes	NY	WPP02.16060	NPW	Micro Dist + Flow Injection	[OTHER Lachat QuikChem]	Cyanide	
Certified	Yes	NY	WPP02.20100	NPW	Ca + Mg Carbonates, ICP	[EPA 200.7]	Hardness - total as CaCO3	
Certified	Yes	NY	WPP02.22500	NPW	Digestion, Distillation, Semiautomated Digester	[OTHER Lachat 10-107-06-2-D]	Kjeldahl nitrogen - total	
Certified	Yes	NY	WPP02.24000	NPW	Digestion, ICP	[EPA 200.7]	Magnesium	
Certified	Yes	NY	WPP02.27000	NPW	Cadmium Reduction, Automated	[USER DEFINED Lachat Method #10-107-04-1-A]	Nitrate - nitrite	
Certified	Yes	NY	WPP02.29100	NPW	Gravimetric, Hexane Extractable Material-LL	[EPA 1664A]	Oil & grease - hem-LL	
Certified	Yes	NY	WPP02.29200	NPW	Gravimetric, Silica Gel Treated-Hem	[EPA 1664A]	Oil & grease - sgt-non polar	
Certified	Yes	NY	WPP02.29250	NPW	Gravimetric, Silica Gel Treated-Hem-SPE	[EPA 1664A]	Oil & grease - non polar	
Certified	Yes	NY	WPP02.31500	NPW	Ascorbic Acid, Manual Single Reagent	[SM 4500-P, E]	Orthophosphate	
Certified	No	NY	WPP02.32500	NPW	Manual Distillation, Colorimetric 4AAP	[USER DEFINED LACHAT 10-210-00-1-A]	Phenols	
Certified	Yes	NY	WPP02.33000	NPW	Manual Distillation, Colorimetric Auto	[EPA 420.1 + .4]	Phenols	
Certified	Yes	NY	WPP02.35000	NPW	Auto Ascorbic Acid Reduction	[OTHER Lachat 10-115-01-1-E]	Phosphorus (total)	
Certified	Yes	NY	WPP02.35500	NPW	Semi-Automated Block Digester	[EPA 365.4]	Phosphorus (total)	
Certified	Yes	NY	WPP02.36500	NPW	Digestion, ICP	[EPA 200.7]	Potassium	
Certified	Yes	NY	WPP02.38000	NPW	Gravimetric, 103-105 Degrees C	[SM 2540 B]	Residue - total	
Certified	Yes	NY	WPP02.38500	NPW	Gravimetric, 180 Degrees C	[SM 2540 C]	Residue - filterable (TDS)	
Certified	Yes	NY	WPP02.39000	NPW	Gravimetric, 103-105 Degrees C, Post Washing	[SM 2540 D]	Residue - nonfilterable (TSS)	
Certified	Yes	NY	WPP02.39500	NPW	Volumetric (Imhoff Cone) or Gravimetric	[SM 2540 F]	Residue - settleable	
Certified	Yes	NY	WPP02.44000	NPW	Digestion, ICP	[EPA 200.7]	Sodium	
Certified	Yes	NY	WPP02.45600	NPW	Continuous	[EPA 120.1]	Specific conductance	
Certified	Yes	NY	WPP02.46500	NPW	Turbidimetric	[ASTM D516-90]	Sulfate	
Certified	Yes	NY	WPP02.47500	NPW	Titrimetric, Iodine	[SM 4500-S E or F]	Sulfides	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Polar Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
 National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
 NLC090002  
 56 TOLEDO ST  
 FARMINGDALE, NY 11735

Category: WPP03 – Analyze-Immediately Inorganic Parameters

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	WPP03.09000	NPW	Electrometric	[SM 4500-H B]	pH
Applied	No	NY	WPP03.14000	NPW	Thermometric	[SM 2550 B]	Temperature

Category: WPP04 – Inorganic Parameters, Metals

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	WPP04.02000	NPW	Digestion, ICP	[EPA 200.7]	Aluminum
Certified	Yes	NY	WPP04.04500	NPW	Digestion, ICP	[EPA 200.7]	Antimony
Certified	Yes	NY	WPP04.05600	NPW	Digestion, ICP	[EPA 200.7]	Arsenic
Certified	Yes	NY	WPP04.08000	NPW	Digestion, ICP	[EPA 200.7]	Barium
Certified	Yes	NY	WPP04.11000	NPW	Digestion, ICP	[EPA 200.7]	Beryllium
Certified	Yes	NY	WPP04.13500	NPW	Digestion, ICP	[EPA 200.7]	Cadmium
Certified	Yes	NY	WPP04.15000	NPW	0.45u Filter, Colorimetric DPC	[SM 3500-Cr D]	Chromium (VI)
Certified	Yes	NY	WPP04.18000	NPW	Digestion, ICP	[EPA 200.7]	Chromium
Certified	Yes	NY	WPP04.19500	NPW	Digestion, ICP	[EPA 200.7]	Cobalt
Certified	Yes	NY	WPP04.21500	NPW	Digestion, ICP	[EPA 200.7]	Copper
Certified	Yes	NY	WPP04.26500	NPW	Digestion, ICP	[EPA 200.7]	Iron
Certified	Yes	NY	WPP04.28000	NPW	Digestion, ICP	[EPA 200.7]	Lead
Certified	Yes	NY	WPP04.31000	NPW	Digestion, ICP	[EPA 200.7]	Manganese
Certified	Yes	NY	WPP04.33000	NPW	Manual Cold Vapor	[EPA 245.1]	Mercury
Certified	Yes	NY	WPP04.33500	NPW	Automated Cold Vapor	[EPA 245.2]	Mercury
Certified	Yes	NY	WPP04.35000	NPW	Digestion, ICP	[EPA 200.7]	Molybdenum
Certified	Yes	NY	WPP04.37500	NPW	Digestion, ICP	[EPA 200.7]	Nickel
Certified	Yes	NY	WPP04.45500	NPW	Digestion, ICP	[EPA 200.7]	Selenium
Certified	Yes	NY	WPP04.48000	NPW	Digestion, ICP	[EPA 200.7]	Silver
Certified	Yes	NY	WPP04.50000	NPW	Digestion, ICP	[EPA 200.7]	Thallium
Certified	Yes	NY	WPP04.51100	NPW	Digestion, ICP	[EPA 200.7]	Tin
Certified	Yes	NY	WPP04.52050	NPW	Digestion, ICP	[EPA 200.7]	Titanium
Certified	Yes	NY	WPP04.54000	NPW	Digestion, ICP	[EPA 200.7]	Vanadium
Certified	Yes	NY	WPP04.56500	NPW	Digestion, ICP	[EPA 200.7]	Zinc

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: **AMERICAN ANALYTICAL LABORATORIES LLC** Laboratory Number: **NY050** Activity ID: **NLC090002**  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: **WPP05 -- Organic Parameters, Chromatography**

Eligible to Report		NJ Data		State		Code		Matrix		Technique Description		Approved Method		Parameter Description	
Status	Certified	Yes	Yes	NY	NY	WPP05.09010	WPP05.09020	NPW	Extract/GC (ECD)	[EPA 608]	Aldrin				
Certified	Yes	Yes	NY	WPP05.09020	NPW	Extract/GC (ECD)	[EPA 608]	Alpha BHC							
Certified	Yes	Yes	NY	WPP05.09030	NPW	Extract/GC (ECD)	[EPA 608]	Beta BHC							
Certified	Yes	Yes	NY	WPP05.09040	NPW	Extract/GC (ECD)	[EPA 608]	Delta BHC							
Certified	Yes	Yes	NY	WPP05.09050	NPW	Extract/GC (ECD)	[EPA 608]	Lindane (gamma BHC)							
Certified	Yes	Yes	NY	WPP05.09060	NPW	Extract/GC (ECD)	[EPA 608]	Chlordane							
Certified	Yes	Yes	NY	WPP05.09070	NPW	Extract/GC (ECD)	[EPA 608]	DDD (4,4')							
Certified	Yes	Yes	NY	WPP05.09080	NPW	Extract/GC (ECD)	[EPA 608]	DDE (4,4')							
Certified	Yes	Yes	NY	WPP05.09090	NPW	Extract/GC (ECD)	[EPA 608]	DDT (4,4')							
Certified	Yes	Yes	NY	WPP05.09100	NPW	Extract/GC (ECD)	[EPA 608]	Dieldrin							
Certified	Yes	Yes	NY	WPP05.09110	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan I							
Certified	Yes	Yes	NY	WPP05.09120	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan II							
Certified	Yes	Yes	NY	WPP05.09130	NPW	Extract/GC (ECD)	[EPA 608]	Endosulfan sulfate							
Certified	Yes	Yes	NY	WPP05.09140	NPW	Extract/GC (ECD)	[EPA 608]	Endrin							
Certified	Yes	Yes	NY	WPP05.09150	NPW	Extract/GC (ECD)	[EPA 608]	Endrin aldehyde							
Certified	Yes	Yes	NY	WPP05.09170	NPW	Extract/GC (ECD)	[EPA 608]	Heptachlor							
Certified	Yes	Yes	NY	WPP05.09180	NPW	Extract/GC (ECD)	[EPA 608]	Heptachlor epoxide							
Certified	Yes	Yes	NY	WPP05.09190	NPW	Extract/GC (ECD)	[EPA 608]	Methoxychlor							
Certified	Yes	Yes	NY	WPP05.09200	NPW	Extract/GC (ECD)	[EPA 608]	Toxaphene							
Certified	Yes	Yes	NY	WPP05.11010	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1016							
Certified	Yes	Yes	NY	WPP05.11020	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1221							
Certified	Yes	Yes	NY	WPP05.11030	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1232							
Certified	Yes	Yes	NY	WPP05.11040	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1242							
Certified	Yes	Yes	NY	WPP05.11050	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1248							
Certified	Yes	Yes	NY	WPP05.11060	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1254							
Certified	Yes	Yes	NY	WPP05.11070	NPW	Extract/GC (ECD)	[EPA 608]	PCB 1260							

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: WPP06 -- Organic Parameters, Chromatography/MS

Eligible to Report		Matrix		Technique Description		Approved Method		Parameter Description	
Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description		
Certified	Yes	NY	WPP06.02003	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acetone		
Certified	Yes	NY	WPP06.02007	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acrolein		
Certified	Yes	NY	WPP06.02009	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Acrylonitrile		
Certified	Yes	NY	WPP06.02010	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Benzene		
Certified	Yes	NY	WPP06.02020	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromodichloromethane		
Applied	No	NY	WPP06.02025	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromoethane		
Certified	Yes	NY	WPP06.02030	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromoform		
Certified	Yes	NY	WPP06.02040	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Bromomethane		
Applied	No	NY	WPP06.02041	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Butanone (2-)		
Applied	No	NY	WPP06.02042	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Butyl acetate (n-)		
Applied	No	NY	WPP06.02045	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Carbon disulfide		
Certified	Yes	NY	WPP06.02050	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Carbon tetrachloride		
Certified	Yes	NY	WPP06.02060	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chlorobenzene		
Certified	Yes	NY	WPP06.02070	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroethane		
Certified	Yes	NY	WPP06.02080	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroethyl vinyl ether (2-)		
Certified	Yes	NY	WPP06.02090	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloroform		
Certified	Yes	NY	WPP06.02100	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Chloromethane		
Certified	Yes	NY	WPP06.02110	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dibromochloromethane		
Applied	No	NY	WPP06.02116	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dibromomethane		
Certified	Yes	NY	WPP06.02120	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,2-)		
Certified	Yes	NY	WPP06.02130	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,3-)		
Certified	Yes	NY	WPP06.02140	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorobenzene (1,4-)		
Certified	Yes	NY	WPP06.02145	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichlorodifluoromethane		
Certified	Yes	NY	WPP06.02150	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethane (1,1-)		
Certified	Yes	NY	WPP06.02160	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethane (1,2-)		
Certified	Yes	NY	WPP06.02170	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (1,1-)		
Certified	Yes	NY	WPP06.02175	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (cis-1,2-)		
Certified	Yes	NY	WPP06.02180	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloroethene (trans-1,2-)		
Certified	Yes	NY	WPP06.02190	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropane (1,2-)		
Certified	Yes	NY	WPP06.02200	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropene (cis-1,3-)		
Certified	Yes	NY	WPP06.02210	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Dichloropropene (trans-1,3-)		
Certified	Yes	NY	WPP06.02220	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Ethylbenzene		

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: WPP06 -- Organic Parameters, Chromatography/MS

Eligible to Report		Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Yes	No								
Certified	Yes	NY	WPP06.02230	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Methylene chloride (Dichloromethane)		
Certified	Yes	NY	WPP06.02233	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Methyl isobutyl ketone		
Certified	Yes	NY	WPP06.02240	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Tetrachloromethane (1,1,2,2-)		
Certified	Yes	NY	WPP06.02250	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Tetrachloroethene		
Certified	Yes	NY	WPP06.02260	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Toluene		
Certified	Yes	NY	WPP06.02270	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethane (1,1,1,-)		
Certified	Yes	NY	WPP06.02280	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethane (1,1,2,-)		
Certified	Yes	NY	WPP06.02290	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichloroethene		
Certified	Yes	NY	WPP06.02300	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Trichlorofluoromethane		
Certified	Yes	NY	WPP06.02307	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Vinyl acetate		
Certified	Yes	NY	WPP06.02310	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Vinyl chloride		
Certified	Yes	NY	WPP06.02312	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Xylenes (total)		
Certified	Yes	NY	WPP06.02325	NPW	GC/MS, P & T, Capillary Column	[EPA 624]	Hexanone (2-)		
Certified	Yes	NY	WPP06.03010	NPW	Extract, GC/MS	[EPA 625]	Acenaphthene		
Certified	Yes	NY	WPP06.03020	NPW	Extract, GC/MS	[EPA 625]	Acenaphthylene		
Certified	Yes	NY	WPP06.03030	NPW	Extract, GC/MS	[EPA 625]	Anthracene		
Certified	Yes	NY	WPP06.03040	NPW	Extract, GC/MS	[EPA 625]	Benzo(a)anthracene		
Certified	Yes	NY	WPP06.03050	NPW	Extract, GC/MS	[EPA 625]	Benzo(b)fluoranthene		
Certified	Yes	NY	WPP06.03060	NPW	Extract, GC/MS	[EPA 625]	Benzo(k)fluoranthene		
Certified	Yes	NY	WPP06.03070	NPW	Extract, GC/MS	[EPA 625]	Benzo(a)pyrene		
Certified	Yes	NY	WPP06.03080	NPW	Extract, GC/MS	[EPA 625]	Benzo(ghi)perylene		
Certified	Yes	NY	WPP06.03090	NPW	Extract, GC/MS	[EPA 625]	Butyl benzyl phthalate		
Certified	Yes	NY	WPP06.03100	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroethyl) ether		
Certified	Yes	NY	WPP06.03110	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroethoxy) methane		
Certified	Yes	NY	WPP06.03120	NPW	Extract, GC/MS	[EPA 625]	Bis (2-ethylhexyl) phthalate		
Certified	Yes	NY	WPP06.03130	NPW	Extract, GC/MS	[EPA 625]	Bis (2-chloroisopropyl) ether		
Certified	Yes	NY	WPP06.03140	NPW	Extract, GC/MS	[EPA 625]	Bromophenyl-phenyl ether (4-)		
Certified	Yes	NY	WPP06.03150	NPW	Extract, GC/MS	[EPA 625]	Chloronaphthalene (2-)		
Certified	Yes	NY	WPP06.03160	NPW	Extract, GC/MS	[EPA 625]	Chlorophenyl-phenyl ether (4-)		
Certified	Yes	NY	WPP06.03170	NPW	Extract, GC/MS	[EPA 625]	Chrysene		
Certified	Yes	NY	WPP06.03180	NPW	Extract, GC/MS	[EPA 625]	Dibenzof(a,h)anthracene		
Certified	Yes	NY	WPP06.03190	NPW	Extract, GC/MS	[EPA 625]	Di-n-butyl phthalate		

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
 National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
 NLC090002  
 56 TOLEDO ST  
 FARMINGDALE, NY 11735

Category: WPP06 – Organic Parameters, Chromatography/MS

Status	Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	Matrix						
Certified	No	NY	WPP06.03200	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,3-)	
Certified	No	NY	WPP06.03210	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,2-)	
Certified	No	NY	WPP06.03220	NPW	Extract, GC/MS	[USER DEFINED EPA 625]	Dichlorobenzene (1,4-)	
Certified	Yes	NY	WPP06.03230	NPW	Extract, GC/MS	[EPA 625]	Dichlorobenzidine (3,3'-)	
Certified	Yes	NY	WPP06.03240	NPW	Extract, GC/MS	[EPA 625]	Diethyl phthalate	
Certified	Yes	NY	WPP06.03250	NPW	Extract, GC/MS	[EPA 625]	Dimethyl phthalate	
Certified	Yes	NY	WPP06.03260	NPW	Extract, GC/MS	[EPA 625]	Dinitrotoluene (2,4-)	
Certified	Yes	NY	WPP06.03270	NPW	Extract, GC/MS	[EPA 625]	Dinitrotoluene (2,6-)	
Certified	Yes	NY	WPP06.03280	NPW	Extract, GC/MS	[EPA 625]	Di-n-octyl phthalate	
Certified	Yes	NY	WPP06.03290	NPW	Extract, GC/MS	[EPA 625]	Fluoranthene	
Certified	Yes	NY	WPP06.03300	NPW	Extract, GC/MS	[EPA 625]	Fluorene	
Certified	Yes	NY	WPP06.03310	NPW	Extract, GC/MS	[EPA 625]	Hexachlorobenzene	
Certified	Yes	NY	WPP06.03320	NPW	Extract, GC/MS	[EPA 625]	Hexachlorobutadiene (1,3-)	
Certified	Yes	NY	WPP06.03330	NPW	Extract, GC/MS	[EPA 625]	Hexachloroethane	
Certified	Yes	NY	WPP06.03340	NPW	Extract, GC/MS	[EPA 625]	Indene(1,2,3-cd)pyrene	
Certified	Yes	NY	WPP06.03350	NPW	Extract, GC/MS	[EPA 625]	Isophorone	
Certified	Yes	NY	WPP06.03360	NPW	Extract, GC/MS	[EPA 625]	Naphthalene	
Certified	Yes	NY	WPP06.03370	NPW	Extract, GC/MS	[EPA 625]	Nitrobenzene	
Certified	Yes	NY	WPP06.03380	NPW	Extract, GC/MS	[EPA 625]	N-Nitroso-di-n-propylamine	
Certified	Yes	NY	WPP06.03390	NPW	Extract, GC/MS	[EPA 625]	Phenanthrene	
Certified	Yes	NY	WPP06.03400	NPW	Extract, GC/MS	[EPA 625]	Pyrene	
Certified	Yes	NY	WPP06.03410	NPW	Extract, GC/MS	[EPA 625]	Trichlorobenzene (1,2,4-)	
Certified	Yes	NY	WPP06.03420	NPW	Extract, GC/MS	[EPA 625]	Methyl ptenol (4-chloro-3-)	
Certified	Yes	NY	WPP06.03430	NPW	Extract, GC/MS	[EPA 625]	Chlorophenol (2-)	
Certified	Yes	NY	WPP06.03440	NPW	Extract, GC/MS	[EPA 625]	Dichlorophenol (2,4-)	
Certified	Yes	NY	WPP06.03450	NPW	Extract, GC/MS	[EPA 625]	Dimethylphenol (2,4-)	
Certified	Yes	NY	WPP06.03460	NPW	Extract, GC/MS	[EPA 625]	Dinitrophenol (2,4-)	
Certified	Yes	NY	WPP06.03470	NPW	Extract, GC/MS	[EPA 625]	Dinitrophenol (2-methyl-4,6-)	
Certified	Yes	NY	WPP06.03480	NPW	Extract, GC/MS	[EPA 625]	Nitrophenol (2-)	
Certified	Yes	NY	WPP06.03490	NPW	Extract, GC/MS	[EPA 625]	Nitrophenol (4-)	
Certified	Yes	NY	WPP06.03500	NPW	Extract, GC/MS	[EPA 625]	Pentachlorophenol	
Certified	Yes	NY	WPP06.03510	NPW	Extract, GC/MS	[EPA 625]	Phenol	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**

Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:

NLC090002

56 TOLEDO ST

FARMINGDALE, NY 11735

**Category: WPP06 -- Organic Parameters, Chromatography/MS**

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
NJ Data	Yes						
Certified	Yes	NY	WPP06.03518	NPW	Extract, GC/MS	[EPA 625]	Trichlorophenol (2,4,5-)
Certified	Yes	NY	WPP06.03520	NPW	Extract, GC/MS	[EPA 625]	Trichlorophenol (2,4,6-)
Certified	Yes	NY	WPP06.03580	NPW	Extract, GC/MS	[EPA 625]	Benzidine
Certified	Yes	NY	WPP06.03660	NPW	Extract, GC/MS	[EPA 625]	Hexachlorocyclopentadiene
Certified	Yes	NY	WPP06.03680	NPW	Extract, GC/MS	[EPA 625]	N-Nitrosodimethylamine
Certified	Yes	NY	WPP06.03690	NPW	Extract, GC/MS	[EPA 625]	N-Nitrosodiphenylamine

**Category: WPP07 -- Organic Parameters, Individual Pesticide**

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
NJ Data	Yes						
Certified	Yes	NY	WPP07.23000	NPW	GC	[SM 6640 B]	D (2,4-)
Certified	Yes	NY	WPP07.70360	NPW	GC/MS	[EPA 625, 1625, or 25.1]	Pentachlorophenol
Certified	Yes	NY	WPP07.83000	NPW	GC	[SM 6640 B]	T (2,4,5-)
Certified	Yes	NY	WPP07.84000	NPW	GC	[SM 6640 B]	TP (2,4,5-) (Silvex)

**Category: SHW02 -- Characteristics of Hazardous Waste**

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
NJ Data	No						
Applied	No	NY	SHW02.09000	NPW, SCM	Multiple Extractions	[SW-846 1320, Rev. 0, 9/86]	Metals - organics

**Category: SHW04 -- Inorganic Parameters**

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
NJ Data	Yes						
Certified	Yes	NY	SHW04.05000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Aluminum
Certified	Yes	NY	SHW04.06500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Antimony
Certified	Yes	NY	SHW04.09000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2 12/96]	Arsenic
Certified	Yes	NY	SHW04.11500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2 12/96]	Barium
Certified	Yes	NY	SHW04.13500	NPW, SCM	ICP	[SW-846 6010B]	Beryllium

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW04 – Inorganic Parameters

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW04.15100	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Boron	
Certified	Yes	NY	SHW04.15500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Cadmium	
Certified	Yes	NY	SHW04.17500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Calcium	
Certified	Yes	NY	SHW04.18500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Chromium	
Certified	Yes	NY	SHW04.21000	NPW, SCM	Colorimetric	[SW-846 7196A, Rev. 1, 7/92]	Chromium (VI)	
Certified	Yes	NY	SHW04.22500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Cobalt	
Certified	Yes	NY	SHW04.24500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Copper	
Certified	Yes	NY	SHW04.26000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Iron	
Certified	Yes	NY	SHW04.27500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Lead	
Certified	Yes	NY	SHW04.30500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Magnesium	
Certified	Yes	NY	SHW04.31500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Manganese	
Certified	Yes	NY	SHW04.34000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Molybdenum	
Certified	Yes	NY	SHW04.35500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Nickel	
Certified	Yes	NY	SHW04.38000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Potassium	
Certified	Yes	NY	SHW04.39000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Selenium	
Certified	Yes	NY	SHW04.41000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Silver	
Certified	Yes	NY	SHW04.43000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Sodium	
Certified	Yes	NY	SHW04.45000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Thallium	
Certified	Yes	NY	SHW04.47100	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Tin	
Certified	Yes	NY	SHW04.47145	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Titanium	
Certified	Yes	NY	SHW04.47500	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Vanadium	
Certified	Yes	NY	SHW04.49000	NPW, SCM	ICP	[SW-846 6010B, Rev. 2, 12/96]	Zinc	

Category: SHW06 – Organic Parameters, Chromatography

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW06.12081	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Chlorobenzilate	
Certified	Yes	NY	SHW06.12180	NPW, SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin ketone	
Certified	Yes	NY	SHW06.23010	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	Dalapon	
Certified	Yes	NY	SHW06.23020	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev. 1, 9/96]	Dicamba	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW06 -- Organic Parameters, Chromatography

Eligible to Report		Technique Description		Approved Method		Parameter Description	
Status	NJ Data	State	Code	Matrix	Matrix	Code	Code
Certified	Yes	NY	SHW06.23040	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev 1, 9/96]	D (2,4-)
Certified	Yes	NY	SHW06.23050	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev 1, 9/96]	T (2,4,5-)
Certified	Yes	NY	SHW06.23060	NPW, SCM	GC, Extraction, ECD, Capillary	[SW-846 8151A, Rev 1, 9/96]	TP (2,4,5-) (Silvex)
Certified	Yes	NY	SHW06.27080	NPW, SCM	HPLC, UV Detector	[SW-846 8321A, Rev 1, 12/96]	D (2,4-)
Certified	Yes	NY	SHW06.27180	NPW, SCM	HPLC, UV Detector	[SW-846 8321A, Rev 1, 12/96]	T (2,4,5-)
Certified	Yes	NY	SHW06.27210	NPW, SCM	HPLC, UV Detector	[SW-846 8321A, Rev 1, 12/96]	TP (2,4,5-) (Silvex)

Category: SHW07 -- Organic Parameters, Chromatography/MS

Eligible to Report		Technique Description		Approved Method		Parameter Description	
Status	NJ Data	State	Code	Matrix	Matrix	Code	Code
Certified	Yes	NY	SHW07.04010	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Benzene
Certified	Yes	NY	SHW07.04020	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chlorobenzene
Certified	Yes	NY	SHW07.04030	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,2-)
Certified	Yes	NY	SHW07.04040	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,3-)
Certified	Yes	NY	SHW07.04050	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorobenzene (1,4-)
Certified	Yes	NY	SHW07.04060	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Ethylbenzene
Certified	Yes	NY	SHW07.04070	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Toluene
Certified	Yes	NY	SHW07.04080	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Xylenes (total)
Certified	Yes	NY	SHW07.04089	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromochloromethane
Certified	Yes	NY	SHW07.04090	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromodichloromethane
Certified	Yes	NY	SHW07.04100	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromoform
Certified	Yes	NY	SHW07.04110	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Bromomethane
Certified	Yes	NY	SHW07.04120	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Carbon tetrachloride
Certified	Yes	NY	SHW07.04130	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroethane
Certified	Yes	NY	SHW07.04140	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroethyl vinyl ether (2-)
Certified	Yes	NY	SHW07.04150	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloroform
Certified	Yes	NY	SHW07.04160	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Chloromethane
Certified	Yes	NY	SHW07.04170	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (trans-1,3-)
Certified	Yes	NY	SHW07.04180	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromochloromethane
Certified	Yes	NY	SHW07.04190	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichlorodifluoromethane

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW07 - Organic Parameters, Chromatography/MS

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW07.04200	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (1,1,-)	
Certified	Yes	NY	SHW07.04210	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (1,2,-)	
Certified	Yes	NY	SHW07.04220	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (1,1,-)	
Certified	Yes	NY	SHW07.04230	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (trans-1,2,-)	
Certified	Yes	NY	SHW07.04235	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloroethane (cis-1,2,-)	
Certified	Yes	NY	SHW07.04240	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropane (1,2,-)	
Certified	Yes	NY	SHW07.04241	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropane (1,3,-)	
Certified	Yes	NY	SHW07.04242	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropane (2,2,-)	
Certified	Yes	NY	SHW07.04249	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (1,1,-)	
Certified	Yes	NY	SHW07.04250	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dichloropropene (cis-1,3,-)	
Certified	Yes	NY	SHW07.04270	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Tetrachloroethane (1,1,2,2,-)	
Certified	Yes	NY	SHW07.04280	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Tetrachloroethane	
Certified	Yes	NY	SHW07.04290	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethane (1,1,1,-)	
Certified	Yes	NY	SHW07.04300	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethane (1,1,2,-)	
Certified	Yes	NY	SHW07.04310	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloroethene	
Certified	Yes	NY	SHW07.04320	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichlorofluoromethane	
Certified	Yes	NY	SHW07.04325	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichloropropane (1,2,3,-)	
Certified	Yes	NY	SHW07.04327	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Vinyl acetate	
Certified	Yes	NY	SHW07.04330	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Vinyl chloride	
Certified	Yes	NY	SHW07.04340	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Acetone	
Certified	Yes	NY	SHW07.04350	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Carbon disulfide	
Certified	Yes	NY	SHW07.04360	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Butanone (2,-)	
Certified	Yes	NY	SHW07.04367	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Ethyl methacrylate	
Certified	Yes	NY	SHW07.04370	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Hexanone (2,-)	
Certified	Yes	NY	SHW07.04373	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Methyl methacrylate	
Certified	Yes	NY	SHW07.04374	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Methyl acetate	
Certified	Yes	NY	SHW07.04376	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Iso-butyl alcohol	
Certified	Yes	NY	SHW07.04380	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Pentanone (4-methyl-2,-)	
Certified	Yes	NY	SHW07.04390	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Methyl tert-butyl ether	
Certified	Yes	NY	SHW07.04395	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Tert-butyl alcohol	
Certified	Yes	NY	SHW07.04535	NPW, SCM	GC/MS, P&T, or Direct Injection, Capillary	[SW-846 8260B]	Methylcyclohexane	
Certified	Yes	NY	SHW07.04540	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Naphthalene	

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: **AMERICAN ANALYTICAL LABORATORIES LLC** Laboratory Number: **NY050** Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW07 – Organic Parameters, Chromatography/MS

Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description	Eligible to Report
Certified	Yes	NY	SHW07.04550	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Styrene	Yes
Certified	Yes	NY	SHW07.04560	NPW, SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Tetrachloroethane (1,1,1,2-)	Yes
Certified	Yes	NY	SHW07.04665	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Acetophenone	Yes
Certified	Yes	NY	SHW07.04702	NPW, SCM	GC/MS, Extract, or Direct Injection, Capillary	[SW-846 8270C]	Biphenyl (1,1'-)	Yes
Certified	Yes	NY	SHW07.05005	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	N-Nitrosodimethylamine	Yes
Certified	Yes	NY	SHW07.05006	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	N-Nitroso-di-n-propylamine	Yes
Certified	Yes	NY	SHW07.05038	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzidine	Yes
Certified	Yes	NY	SHW07.05040	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorobenzidine (3,3'-)	Yes
Certified	Yes	NY	SHW07.05070	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chloronaphthalene (2-)	Yes
Certified	Yes	NY	SHW07.05080	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorobenzene	Yes
Certified	Yes	NY	SHW07.05090	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorobutadiene (1,3-)	Yes
Certified	Yes	NY	SHW07.05100	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachlorocyclopentadiene	Yes
Certified	Yes	NY	SHW07.05110	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Hexachloroethane	Yes
Certified	Yes	NY	SHW07.05130	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-chloroethoxy) methane	Yes
Certified	Yes	NY	SHW07.05132	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-chloroethyl) ether	Yes
Certified	Yes	NY	SHW07.05140	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-chloroisopropyl) ether	Yes
Certified	Yes	NY	SHW07.05150	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chlorophenyl-phenyl ether (4-)	Yes
Certified	Yes	NY	SHW07.05160	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bromophenyl-phenyl ether (4-)	Yes
Certified	Yes	NY	SHW07.05170	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrotoluene (2,4-)	Yes
Certified	Yes	NY	SHW07.05180	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrotoluene (2,6-)	Yes
Certified	Yes	NY	SHW07.05190	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Isophorone	Yes
Certified	Yes	NY	SHW07.05200	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrobenzene	Yes
Certified	Yes	NY	SHW07.05210	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Butyl benzyl phthalate	Yes
Certified	Yes	NY	SHW07.05220	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Bis (2-ethylhexyl) phthalate	Yes
Certified	Yes	NY	SHW07.05230	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Diethyl phthalate	Yes
Certified	Yes	NY	SHW07.05240	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dimethyl phthalate	Yes
Certified	Yes	NY	SHW07.05250	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Di-n-butyl phthalate	Yes
Certified	Yes	NY	SHW07.05260	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Di-n-octyl phthalate	Yes
Certified	Yes	NY	SHW07.05280	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Acenaphthene	Yes
Certified	Yes	NY	SHW07.05290	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Anthracene	Yes
Certified	Yes	NY	SHW07.05300	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Acenaphthylene	Yes
Certified	Yes	NY		NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(a)anthracene	Yes

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW07 -- Organic Parameters, Chromatography/MS

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	SHW07.05310	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(a)pyrene
Certified	Yes	NY	SHW07.05320	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(b)fluoranthene
Certified	Yes	NY	SHW07.05330	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(ghi)perylene
Certified	Yes	NY	SHW07.05340	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Benzo(k)fluoranthene
Certified	Yes	NY	SHW07.05350	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chrysene
Certified	Yes	NY	SHW07.05360	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dibenzo(a,h)anthracene
Certified	Yes	NY	SHW07.05370	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Fluoranthene
Certified	Yes	NY	SHW07.05380	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Fluorene
Certified	Yes	NY	SHW07.05390	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Indeno(1,2,3-cd)pyrene
Certified	Yes	NY	SHW07.05410	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Naphthalene
Certified	Yes	NY	SHW07.05420	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Phenanthrene
Certified	Yes	NY	SHW07.05430	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Pyrene
Certified	Yes	NY	SHW07.05440	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methyl phenol (4-chloro-3-)
Certified	Yes	NY	SHW07.05450	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Chlorophenol (2-)
Certified	Yes	NY	SHW07.05460	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dichlorophenol (2,4-)
Certified	Yes	NY	SHW07.05470	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dimethylphenol (2,4-)
Certified	Yes	NY	SHW07.05480	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrophenol (2,4-)
Certified	Yes	NY	SHW07.05490	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dinitrophenol (2-methyl-4,6-)
Certified	Yes	NY	SHW07.05500	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (2-)
Certified	Yes	NY	SHW07.05510	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (4-)
Certified	Yes	NY	SHW07.05520	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrophenol (2-)
Certified	Yes	NY	SHW07.05530	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Nitrophenol (4-)
Certified	Yes	NY	SHW07.05540	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Pentachlorophenol
Certified	Yes	NY	SHW07.05550	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Phenol
Certified	Yes	NY	SHW07.05560	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorophenol (2,4,5-)
Certified	Yes	NY	SHW07.05570	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorophenol (2,4,6-)
Certified	Yes	NY	SHW07.05600	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Dibenzofuran
Certified	Yes	NY	SHW07.05705	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Benzaldehyde
Certified	Yes	NY	SHW07.05750	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Pyridine
Certified	Yes	NY	SHW07.05765	NPW, SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Caprolactam

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW02 -- Characteristics of Hazardous Waste

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	SHW02.01000	SCM	Pensky Mantens	[SW-846 1010, Rev. 0, 9/86]	Ignitability
Certified	Yes	NY	SHW02.02000	SCM	Scia/flash	[SW-846 1020B]	Ignitability
Certified	Yes	NY	SHW02.04000	SCM	Weight Loss In Acid Media	[SW-846 1110, Rev. 0, 9/86]	Corrosivity toward steel
Certified	Yes	NY	SHW02.06900	SCM	TCLP, Toxicity Procedure, ZHE	[SW-846 1311, Rev. 0, 7/92]	Volatile organics
Certified	Yes	NY	SHW02.07000	SCM	TCLP, Toxicity Procedure, Shaker	[SW-846 1311, Rev. 0, 7/92]	Metals
Certified	Yes	NY	SHW02.08000	SCM	Synthetic PPT Leachate Procedure	[SW-846 1312, Rev. 0, 9/94]	Metals - organics

Category: SHW04 -- Inorganic Parameters

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Applied	No	NY	SHW04.02200	SCM	Acid Digestion For AA or ICP, Oil	[SW-846 3031, Rev. 0, 12/96]	Metals
Certified	Yes	NY	SHW04.03000	SCM	Acid Digestion, Soil Sediment & Sludge	[SW-846 3050B, Rev. 2, 12/96]	Metals
Certified	Yes	NY	SHW04.33500	SCM	AA, Manual Cold Vapor	[SW-846 7471A, Rev. 1, 9/94]	Mercury - solid waste

Category: SHW05 -- Organic Parameters, Prep. / Screening

Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Status	NJ Data						
Certified	Yes	NY	SHW05.03000	SCM	Soxhlet Extraction	[SW-846 3540C]	Semivolatile organics
Certified	Yes	NY	SHW05.05000	SCM	Ultrasonic Extraction	[SW-846 3550B, Rev. 2, 12/96]	Semivolatile organics
Certified	Yes	NY	SHW05.06000	SCM	Waste Dilution	[SW-846 3580A, Rev. 1, 7/92]	Organics
Applied	No	NY	SHW05.06100	SCM	Waste Dilution, Volatile organics	[SW-846 3585, Rev. 0, 12/96]	Organics
Certified	Yes	NY	SHW05.07000	SCM	Purge & Trap Aqueous	[SW-846 5030B]	Volatile organics
Certified	Yes	NY	SHW05.07300	SCM	Closed System Purge & Trap	[SW-846 5035L, Rev. 0, 12/96]	Volatile organics - low conc.
Certified	Yes	NY	SHW05.07310	SCM	Methanol Extract, Closed System P & T	[SW-846 5035A] [SW-846 5035H]	Volatile organics - high conc.
Applied	No	NY	SHW05.16000	SCM	Cleanup-Sulfur Removal	[SW-846 3660B, Rev. 2, 12/96]	Semivolatile organics
Applied	No	NY	SHW05.17000	SCM	Cleanup-Sulfuric Acid/SCMnO4	[SW-846 3665A, Rev. 1, 12/96]	Semivolatile organics

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW06 -- Organic Parameters, Chromatography

Status	Eligible to Report	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes		NY	SHW06.03170	SCM	GC, Direct Injection, FID	[SW-846 8015B, Rev. 2, 12/96]	Ethylene glycol
Certified	Yes		NY	SHW06.04010	SCM	GC P&T, FID	[SW-846 8015B, Rev. 2, 12/96]	Gasoline range organic
Certified	Yes		NY	SHW06.04500	SCM	Extraction, GC, FID	[SW-846 8015B, Rev. 2, 12/96]	Diesel range organic
Certified	Yes		NY	SHW06.12010	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Aldrin
Certified	Yes		NY	SHW06.12020	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Alpha BHC
Certified	Yes		NY	SHW06.12030	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Beta BHC
Certified	Yes		NY	SHW06.12040	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Delta BHC
Certified	Yes		NY	SHW06.12050	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Lindane (gamma BHC)
Certified	Yes		NY	SHW06.12060	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Chlordane (technical)
Certified	Yes		NY	SHW06.12090	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDD (4,4'-)
Certified	Yes		NY	SHW06.12100	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDE (4,4'-)
Certified	Yes		NY	SHW06.12110	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	DDT (4,4'-)
Certified	Yes		NY	SHW06.12120	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Dieldrin
Certified	Yes		NY	SHW06.12130	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan I
Certified	Yes		NY	SHW06.12140	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan II
Certified	Yes		NY	SHW06.12150	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endosulfan sulfate
Certified	Yes		NY	SHW06.12160	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin
Certified	Yes		NY	SHW06.12170	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Endrin aldehyde
Certified	Yes		NY	SHW06.12190	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Heptachlor
Certified	Yes		NY	SHW06.12200	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Heptachlor epoxide
Certified	Yes		NY	SHW06.12210	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8081A, Rev. 1, 12/96]	Methoxychlor
Certified	Yes		NY	SHW06.12220	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	Toxaphene
Certified	Yes		NY	SHW06.13110	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1016
Certified	Yes		NY	SHW06.13120	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1221
Certified	Yes		NY	SHW06.13130	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1232
Certified	Yes		NY	SHW06.13140	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1242
Certified	Yes		NY	SHW06.13150	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1248
Certified	Yes		NY	SHW06.13160	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1254
Certified	Yes		NY	SHW06.13170	SCM	GC, Extraction, ECD or HECD, Capillary	[SW-846 8082, Rev. 0, 12/96]	PCB 1260

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID: NLC090002  
56 TOLEDO ST  
FARMINGDALE, NY 11735

Category: SHW07 -- Organic Parameters, Chromatography/MS

Eligible to Report		Technique Description		Approved Method		Parameter Description	
Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW07.04011	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Bromobenzene
Certified	Yes	NY	SHW07.04012	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Butyl benzene (n-)
Certified	Yes	NY	SHW07.04013	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Sec-butylbenzene
Certified	Yes	NY	SHW07.04014	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Tert-butylbenzene
Certified	Yes	NY	SHW07.04022	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Chlorotoluene (2-)
Certified	Yes	NY	SHW07.04023	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Chlorotoluene (4-)
Certified	Yes	NY	SHW07.04067	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Propylbenzene (n-)
Certified	Yes	NY	SHW07.04071	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Isopropyltoluene (4-)
Certified	Yes	NY	SHW07.04073	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trimethylbenzene (1,2,4-)
Certified	Yes	NY	SHW07.04074	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Trimethylbenzene (1,3,5-)
Certified	Yes	NY	SHW07.04111	SCM	GC/MS, P&T, or Direct Injection, Capillary	[SW-846 8260B]	Cyclohexane
Certified	Yes	NY	SHW07.04115	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Butadiene (2-chloro-1,3-)
Certified	Yes	NY	SHW07.04185	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Dibromoethane (1,2-) (EDB)
Certified	Yes	NY	SHW07.04186	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B]	Dibromomethane
Certified	Yes	NY	SHW07.04187	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Dibromo-3-chloropropane (1,2-)
Certified	Yes	NY	SHW07.04260	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Methylene chloride (Dichloromethane)
Certified	Yes	NY	SHW07.04365	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Ethyl acetate
Certified	Yes	NY	SHW07.04400	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Acrolein
Certified	Yes	NY	SHW07.04410	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Acrylonitrile
Applied	No	NY	SHW07.04570	SCM	GC/MS, P & T or Direct Injection, Capillary	[SW-846 8260B, Rev. 2, 12/96]	Trichlorobenzene (1,2,4-)
Certified	Yes	NY	SHW07.05120	SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Trichlorobenzene (1,2,4-)
Certified	Yes	NY	SHW07.05590	SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C, Rev. 3, 12/96]	Methylphenol (3-)
Certified	Yes	NY	SHW07.05990	SCM	GC/MS, Extract or Dir Inj, Capillary	[SW-846 8270C]	Atrazine

Category: SHW09 -- Miscellaneous Parameters

Eligible to Report		Technique Description		Approved Method		Parameter Description	
Status	NJ Data	State	Code	Matrix	Technique Description	Approved Method	Parameter Description
Certified	Yes	NY	SHW09.02000	SCM	Distillation	[SW-846 9010B, Rev. 2, 12/96]	Cyanide
Certified	Yes	NY	SHW09.05000	SCM	Colorimetric, Automated	[SW-846 9012A, Rev. 1, 12/96]	Cyanide
Certified	Yes	NY	SHW09.06000	SCM	Combustion, Titration	[SW-846 9020B, Rev. 2, 9/94]	Total organic halides (TOX)

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials

New Jersey Department of Environmental Protection  
 National Environmental Laboratory Accreditation Program  
**ANNUAL CERTIFIED PARAMETER LIST AND CURRENT STATUS**  
 Effective as of 07/24/2009 until 06/30/2010



Laboratory Name: AMERICAN ANALYTICAL LABORATORIES LLC Laboratory Number: NY050 Activity ID:  
 NLC090002  
 56 TOLEDO ST  
 FARMINGDALE, NY 11735

Category: SHW09 -- Miscellaneous Parameters

Status	Eligible to Report		State	Code	Matrix	Technique Description	Approved Method	Parameter Description
	NJ Data	NY Data						
Certified	Yes	Yes	NY	SHW09.08100	SCM	Extraction	[SW-846 9023, Rev. 0, 12/96]	Extractable organic halides (EOX)
Certified	Yes	Yes	NY	SHW09.10100	SCM	Titration	[SW-846 9034, Rev. 0, 12/96]	Sulfides, acid sol. & insol.
Certified	Yes	Yes	NY	SHW09.13000	SCM	Turbidimetric	[SW-846 9038, Rev. 0, 9/86]	Sulfate
Certified	Yes	Yes	NY	SHW09.14000	SCM	Electrometric	[SW-846 9040B, Rev. 2, 1/95]	pH - waste, >20% water
Certified	Yes	Yes	NY	SHW09.16000	SCM	Mix with Water or Calcium Chloride	[SW-846 9045D]	pH - soil and waste
Certified	Yes	Yes	NY	SHW09.22000	SCM	Colorimetric, Auto, 4AAP Distillation	[SW-846 9066]	Phenols
Certified	Yes	Yes	NY	SHW09.25000	SCM	Extraction & Gravimetric	[SW-846 9071 B]	Oil & grease - sludge-hem
Certified	Yes	Yes	NY	SHW09.34000	SCM	Titrimetric, Silver Nitrate	[SW-846 9253, Rev. 0, 9/94]	Chloride

*Joseph F. Aiello*  
 Joseph F. Aiello, Chief

KEY: AE = Air and Emissions, BT = Biological Tissues, DW = Drinking Water, NPW = Non-Potable Water, SCM = Solid and Chemical Materials